

PATCH RUBBER COMPANY
MATERIAL SAFETY DATA SHEET

Product Name: LOCK-TAPE
Product Code No.: 80805031, 80801953, 80801954,
80801955, 80802567

Page: 1 of 3
Issue Date: Jan. 15, 2009

MANUFACTURER:

PATCH RUBBER COMPANY
P.O. BOX H
ROANOKE RAPIDS, N.C. 27870

TELEPHONE: (252) 536-2574

Call CHEM TEL only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.
(800) 255-3924 North America
(813) 248-0585 (Collect) International

HEALTH EMERGENCIES:
Call LOS ANGELES Poison Information Center
(24 hrs.) 1-800-356-3129

PRODUCT IDENTIFICATION

PRODUCT NAME: LOCK-TAPE
DOT PROPER SHIPPING NAME: N/A
ID NUMBER: N/A
DOT HAZARD CLASSIFICATION: N/A

SECTION II - EMERGENCY & FIRST AID PROCEDURES *****EMERGENCY*****
Have a physician call Los Angeles
POISON INFORMATION CENTER (24 hrs.)
1-800-356-3129

NOT APPLICABLE

This vulcanized tape meets the definition for an article.

NOT APPLICABLE

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY

NOT APPLICABLE

Product Name: LOCK-TAPE
Product Code No.: 80805031, 80801953, 80801954,
80801955, 80802567

Page: 2 of 3
Issue Date: Jan. 15, 2009

SECTION IV - SPECIAL PROTECTION INFORMATION

NOT APPLICABLE

SECTION V - REACTIVITY DATA

NOT APPLICABLE

SECTION VI - SPILL OR LEAK PROCEDURES **HIGHWAY /RAILWAY SPILLS**

CALL CHEM	1-800-255-3924	North America
Collect)	1-813-248-0585	International

This material, if discarded, is not defined as hazardous by 40CFR 261. Disposal Method: Incinerate or landfill in accordance with applicable federal, state, and local law or regulation.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

No special handling or storage requirements indicated.

SECTION VIII - FIRE & EXPLOSION HAZARD DATA

FLASH POINT: Not applicable.

FLAMMABLE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

UNUSUAL FIRE & EXPLOSION HAZARDS: Small amounts of hydrogen chloride may be released during combustion.

Product Name: LOCK-TAPE
Product Code No.: 80805031, 80801953, 80801954,
80801955, 80802567

Page: 3 of 3
Issue Date: Jan. 15, 2009

SECTION IX - PHYSICAL DATA

APPROX. BOILING POINT: N/A VAPOR DENSITY (AIR = 1): N/A
VAPOR PRESSURE: N/A EVAPORATION RATE (N-BUTYL ACETATE =1) = N/A
% VOLATILE: N/A % SOLUBILITY IN WATER: N/A
SPECIFIC GRAVITY: N/A APPEARANCE: Black & Tan two ply vulcanized tape.
ODOR: Characteristic rubber odor.

SECTION X - DOCUMENTARY INFORMATION

ISSUE DATE: 1/15/09 PRODUCT CODE NO: 80805031, 80801953,
80801954, 80801955,
80802567
PREV. DATE: 1/24/06 PREV. PROD. CODE NO: 80805031, 80801953,
80801954, 80801955,
80802567
MSDS NO: 0148 PREV. MSDS NO: N/A

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

PREPARED BY: Marlo Carter