



PREFORMED LINE PRODUCTS

Section 24 – Spacers & Support

	Page
Table of Contents	
Communication Spacers	24-2
Tangent Supports.....	24-3



Communications Spacers

Communications Spacers

PREFORMED™ Communications Spacers provide an inexpensive way of eliminating mid-span hits on open wire. Spacers keep open wires in their place and prevent lines from "going dead" and momentary shorts and crosses.

Made from rigid, solid $\frac{3}{8}$ " , high-impact, PVC, Communications Spacers possess excellent strength properties. They are designed with a suitable inside diameter for direct application to mid-span locations, and are easily wrapped onto adjacent wires.



Catalog Number	Spacing	Wire Size	Color Code	Units Per Carton	Wt./Lbs. Per Carton
PSU-0106	6"	.080"	Green	300	31
PSU-0107	8"	.102"	Green	300	35
PSU-0108	10"	.109"	Green	30	390
PSU-0109	12"	.109"	Green	300	41

Tangent Supports

Tangent Supports

Standard Loop and Elongated Loop Tangent Supports are intended to protect and separate one-pair aerial wires on a common drive hook. They accomplish this in the safest, easiest way possible: just wrap them on and hang them up. Because they wrap on in seconds without tools, they keep installation expense down and provide long, trouble-free service at the lowest possible cost.



Catalog Number	Conductor Type	Color Code	Units Per Carton	Wt./Lbs. Per Carton
Standard Loop				
TS-2100	2 #14 CW	White	400	30
TS-2103	2 #12 CW (or .083 Steel)	Yellow	400	30
TS-3100	2 #14 CW	Orange	500	30
Elongated				
ETS-2104	2 #12 CW (or .083 Steel)	Yellow	350	35
ETS-3101	2 #14 CW	Orange	400	34